

SPECIFICATION SHEET

March 5th 2024

PRODUCT REFERENCE

Bitumen Corrugated Roof Sheets 930 x 2000mm x 2.2mm







CONTENTS

PRODUCT REFERENCE	O
GENERAL DATA	
CHARACTERISTICS	
REFERENCE STANDARDS	4



GENERAL DATA

PRODUCT CODE


- **Product:** Bitumen Corrugated Roof Sheets 930 x 2000mm x 2.2mm (Black), Bitumen Corrugated Roof Sheets 930 x 2000mm x 2.2mm (Red), Bitumen Corrugated Roof Sheets 930 x 2000mm x 2.2mm (Green),
- Code: BTSHT222000

DETAILS OF CLASSIFIED PRODUCT

Nature and end use application

The product **BITUMEN CORRUGATED ROOF SHEET 930 X 2000MM X 2.2MM** intended use is to be discontinuously laid roof coverings for buildings. Its classification is valid for the following end use application(s):

Roof



TECHNICAL DATA	NOMINAL VALUES	
Length	2000mm	
Width	930mm	
Cover width	837mm	
Thickness	2.2mm	
Corrugation pitch	93mm	
Corrugation height	36mm	
Approx weight when installed	2.7 Kg/m ²	
Minimum purlin centres	Fully boarded (see installation guide)	
Maximum purlin centres	610mm	
Material	Bitumen	



Company No. 02900287

VAT No. GB 344 360 51



CHARACTERISTICS

ESSENTIAL CHARACTERISTICS

TEST	NOMINAL VALUES	REFERENCE STANDARDS
Bending under downward load	S > 700 N/m ²	EN 534:2006+A1:2010
Impact strength	S = 250mm	EN 534:2006+A1:2010
Tear resistance	S = 150 N	EN 534:2006+A1:2010
Water impermeability	Pass	EN 534:2006+A1:2010
Tearing strength after freeze/thaw ageing	S = 150 N	EN 534:2006+A1:2010
Water impermeability after freeze/thaw ageing	Pass	EN 534:2006+A1:2010
Thermal coefficient	A < 100 • 10-6 1/K	EN 534:2006+A1:2010
Reaction to fire	Class E	EN 534:2006+A1:2010
External fire performance	Froof	EN 534:2006+A1:2010
Mass	2.7 Kg/m ²	EN 534:2006+A1:2010
Water absorption	20%	EN 534:2006+A1:2010
Squareness	4mm	EN 534:2006+A1:2010
Homogeneity	Pass	EN 534:2006+A1:2010
Bitumen content	40%	EN 534:2006+A1:2010



Company No. 02900287 VAT No. GB 344 360 51



REFERENCE STANDARDS

The performance of the product identified above is in conformity with the set of declared performance/s. This document is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the supplier.

GENERAL STANDARDS

• EN 534:2006+A1:2010: Corrugated bitumen sheets. Product specification and test methods.



